


Chronic Disease Indicators

Douglas County, Nebraska

2017



Healthy. Vibrant.
Everyone. Everywhere.

Prepared by: Douglas County Health Department

January, 2019

Contents

A Physical Activity and Nutrition

Obesity among adults	1
Overweight or obesity among adults	1
Obesity among youth.....	1
Overweight or obesity among youth	1
Fruit and vegetable consumption among youth.....	2
Median times per day consumed fruits.....	2
Median times per day consumed Vegetable.....	2
Recommended physical activity among adults.....	2
Recommended physical activity among youth.....	3
Television viewing among youth.....	3

B Tobacco and Alcohol

Binge drinking among adults	4
Binge drinking among women of childbearing age.....	4
Heavy drinking among adult females	4
Heavy drinking among adult males.....	4
Alcohol use among youth.....	5
Binge drinking among youth.....	5
Chronic liver disease, mortality.....	5
Cigarette smoking among adults	6
Cigarette smoking among youth.....	6
Smokeless tobacco use among youth.....	6

C Cancer Indicator

Invasive cancer (all sites combined), incidence.....	7
Cancer (all sites combined), mortality.....	7
Cancer of the bladder, incidence.....	7
Cancer of the bladder, mortality.....	8
Invasive cancer of the female breast, incidence.....	8
Cancer of the female breast, mortality.....	8
Invasive cancer of the cervix, incidence.....	9
Cancer of the cervix, mortality.....	9
Cancer of the colon and rectum, incidence.....	9
Cancer of the colon and rectum, mortality.....	10
Cancer of the lung and bronchus, incidence.....	10
Cancer of the lung and bronchus, mortality.....	10
Invasive melanoma, incidence.....	11
Melanoma, mortality.....	11
Invasive cancer of the oral cavity or pharynx, incidence.....	11
Cancer of the oral cavity or pharynx, mortality.....	12
Invasive cancer of the prostate, incidence.....	12
Cancer of the prostate, mortality.....	12
Clinical breast examination among women \geq 40 years.....	13
Mammography use among women aged \geq 40 years.....	13
Papanicolaou smear use among adult women	13
Fecal occult blood test among adults aged \geq 50 years.....	14
Fecal occult blood test, sigmoidoscopy, or colonoscopy among adults aged 50-75 years.....	14
Sigmoidoscopy/colonoscopy among adults \geq 50 years.....	14

D Cardiovascular Disease

Cerebrovascular disease (Stroke), mortality.....	15
Congestive heart failure, mortality.....	15
Coronary heart disease, mortality.....	15
Diseases of the heart, mortality.....	16
Major cardiovascular diseases, mortality.....	16
Hospitalization for cerebrovascular accident or stroke among Medicare-eligible persons aged >= 65 years	16
Hospitalization for congestive heart failure among Medicare-eligible persons aged >= 65 years	17
High blood pressure awareness among adults	17
Taking medicine for high blood pressure control among adults	17
Cholesterol screening among adults	18

E Diabetes

Mortality with diabetes.....	19
Diabetes prevalence among adults	19
Dilated eye examination among adults with diabetes.....	19
Foot examination among adults with diabetes.....	20
Influenza vaccination among adults with diabetes.....	20
Pneumococcal vaccination among adults with diabetes.....	20
Self blood glucose monitoring among adults with diabetes.....	21

F Arthritis

Arthritis among adults.....	22
Activity limitation due to arthritis among adults years.....	22
Physical inactivity among adults with arthritis.....	22
Arthritis among adults who are obese.....	23
Arthritis among adults who have diabetes.....	23
Arthritis among adults years who have heart disease.....	23
Fair or poor health among adults with arthritis.....	24
Adults with arthritis who have taken a class to learn how to manage arthritis symptoms..	24

G Overarching Conditions

Current lack of health insurance among adults aged 18-64 years.....	25
High school completion among adults 18-24 years.....	25
Poverty.....	25
Premature mortality among adults aged 45-64 years.....	25
Fair or poor self-rated health status among adults	26
Recent physically unhealthy days among adults	26
Recent mentally unhealthy days among adults.....	26
Recent activity limitation days among adults	26

H Other Diseases and Risk Factors

- Asthma, mortality..... 27
- Mortality with chronic obstructive pulmonary disease among adults aged >=45 years..... 27
- Pneumococcal vaccination among adults aged >= 65 years..... 27
- All teeth lost among adults aged >= 65 years..... 28
- Visits to dentist or dental clinic among adults 28
- Hospitalization for hip fracture among Medicare-eligible persons aged >= 65 years..... 28

Physical Activity and Nutrition

Obesity Among Adults	2017	2016	2015	2014	2013	2012	2011
Douglas County	31.4%	30.9%	29.8%	28.4%	27.7%	28.0%	26.6%
Nebraska	32.8%	32.0%	31.4%	30.3%	29.6%	28.6%	28.4%
US	31.3%	29.9%	29.8%	29.6%	29.4%	27.6%	27.8%

DC Source: DCHD BRFSS Survey

NE Source: CDC BRFSS Survey

US Source: CDC BRFSS Survey

Overweight or Obesity Among Adults	2017	2016	2015	2014	2013	2012	2011
Douglas County	66.4%	67.8%	65.0%	64.1%	62.2%	62.7%	63.7%
Nebraska	69.0%	68.6%	67.0%	66.7%	65.5%	65.0%	64.9%
US	66.6%	65.2%	65.3%	65.0%	64.8%	63.4%	63.5%

DC Source: DCHD BRFSS Survey

NE Source: CDC BRFSS Survey

US Source: CDC BRFSS Survey

Obesity Among Youth	2017	2016	2015	2014	2013	2012	2011
Douglas County	N/A	12.7%	N/A	12.0%	N/A	13.9%	N/A
Nebraska	N/A	14.6%	N/A	13.0%	N/A	12.7%	N/A
US	N/A	14.8%	N/A	13.9%	N/A	13.7%	N/A

DC Source: Douglas County YRBSS Survey

NE Source: CDC YRBSS Survey

US Source: CDC YRBSS Survey

Overweight or Obesity Among Youth	2017	2016	2015	2014	2013	2012	2011
Douglas County	N/A	31.9%	N/A	28.4%	N/A	30.5%	N/A
Nebraska	N/A	31.2%	N/A	29.9%	N/A	26.5%	N/A
US	N/A	30.4%	N/A	29.9%	N/A	30.3%	N/A

DC Source: Douglas County YRBSS Survey

NE Source: CDC YRBSS Survey

US Source: CDC YRBSS Survey

Adult: Age >=18 years

Youth: Students in grades 9–12

Physical Activity and Nutrition

Fruit and Vegetable Consumption Among Youth*	2017	2016	2015	2014	2013	2012	2011
Douglas County	N/A	17.8%	N/A	17.3%	N/A	17.8%	N/A
Nebraska	N/A	14.7%	N/A	17.4%	N/A	16.5%	N/A
US	N/A	N/A	N/A	N/A	N/A	N/A	N/A

DC Source: Douglas County YRBSS Survey
 NE Source: CDC YRBSS Survey
 US Source: CDC YRBSS Survey

Median Times per Day Consumed Fruits Among Adults	2017	2016	2015	2014	2013	2012	2011
Douglas County	1.01	N/A	0.99	N/A	1.02	N/A	1.07
Nebraska	1.02	N/A	1.00	N/A	1.00	N/A	1.02
US	N/A	N/A	1.00	N/A	N/A	N/A	N/A

DC Source: DCHD BRFSS Survey
 NE Source: CDC BRFSS Survey
 US Source: CDC BRFSS Survey

Median Times per Day Consumed Vegetables Among Adults	2017	2016	2015	2014	2013	2012	2011
Douglas County	1.59	N/A	1.50	N/A	1.57	N/A	1.43
Nebraska	1.68	N/A	1.53	N/A	1.57	N/A	1.46
US	N/A	N/A	1.40	N/A	N/A	N/A	N/A

DC Source: DCHD BRFSS Survey
 NE Source: CDC BRFSS Survey
 US Source: CDC BRFSS Survey

Adult: Age >=18 years

Youth: Students in grades 9–12

* Students in grades 9–12 who report eating fruits and vegetables >=5 times/day during the past 7 days

Physical Activity and Nutrition

Adults Participated in enough Aerobic and Muscle Strengthening exercises to meet guidelines by Year†	2017	2016	2015	2014	2013	2012	2011
Douglas County	20.0%	N/A	25.9%	N/A	18.4%	N/A	20.8%
Nebraska	19.1%	N/A	21.8%	N/A	20.5%	N/A	19.0%
US	20.3%	N/A	20.3%	N/A	18.8%	N/A	21.0%

DC Source: DCHD BRFS Survey
 NE Source: CDC BRFS Survey
 US Source: CDC BRFS Survey

Recommended Physical Activity Among Youth*	2017	2016	2015	2014	2013	2012	2011
Douglas County	N/A	19.6%	N/A	23.1%	N/A	30.0%	N/A
Nebraska	N/A	26.8%	N/A	29.7%	N/A	32.3%	N/A
US	N/A	26.1%	N/A	27.1%	N/A	27.1%	N/A

DC Source: Douglas County YRBSS Survey
 NE Source: CDC YRBSS Survey
 US Source: CDC YRBSS Survey

Television Viewing Among Youth **	2017	2016	2015	2014	2013	2012	2011
Douglas County	N/A	82.5%	N/A	80.9%	N/A	74.7%	N/A
Nebraska	N/A	80.8%	N/A	79.9%	N/A	77.2%	N/A
US	N/A	79.3%	N/A	75.3%	N/A	67.5%	N/A

DC Source: Douglas County YRBSS Survey
 NE Source: CDC YRBSS Survey
 US Source: CDC YRBSS Survey

★ Students in grades 9-12 who report doing any kind of physical activity at least 60 minutes per day on each of the 7 days before the survey

★★ Students in grades 9-12 who report watching television for 2 or fewer Hours per school day

† At least 150 minutes per week of moderate-intensity physical activity, or at least 75 minutes per week of vigorous-intensity physical activity and Muscle-strengthening activities on 2 or more days of the week

Adult: Age >=18 years

Youth: Students in grades 9–12

Tobacco and Alcohol

Binge Drinking Among Adults*	2017	2016	2015	2014	2013	2012	2011
Douglas County	20.7%	20.3%	21.9%	20.5%	19.8%	22.6%	24.4%
Nebraska	20.6%	20.0%	19.5%	20.3%	20.0%	22.1%	22.7%
US	17.4%	16.9%	16.3%	16.0%	16.8%	16.9%	18.3%

DC Source: DCHD BRFSS Survey
NE Source: CDC BRFSS Survey
US Source: CDC BRFSS Survey

Binge Drinking Among Women of Childbearing Age**	2017	2016	2015	2014	2013	2012	2011
Douglas County	23.8%	18.7%	20.4%	26.8%	26.0%	23.3%	26.7%
Nebraska	N/A	19.9%	19.3%	22.7%	23.8%	23.7%	24.7%
US	N/A	18.7%	17.7%	16.9%	17.6%	17.4%	19.4%

DC Source: DCHD BRFSS Survey
NE Source: CDC BRFSS Survey
US Source: CDC BRFSS Survey

Heavy Drinking Among Adult Females†	2017	2016	2015	2014	2013	2012	2011
Douglas County	6.9%	5.8%	6.6%	6.7%	7.4%	8.1%	8.3%
Nebraska	5.8%	5.2%	4.4%	N/A	N/A	N/A	N/A
US	N/A	5.9%	5.0%	N/A	N/A	N/A	N/A

DC Source: DCHD BRFSS Survey
NE Source: CDC BRFSS Survey
US Source: CDC BRFSS Survey

Heavy Drinking Among Adult Males††	2017	2016	2015	2014	2013	2012	2011
Douglas County	7.9%	6.5%	7.6%	7.0%	6.7%	7.1%	8.9%
Nebraska	8.2%	8.0%	7.0%	N/A	N/A	N/A	N/A
US	N/A	7.1%	6.4%	N/A	N/A	N/A	N/A

DC Source: DCHD BRFSS Survey
NE Source: NeDHHS BRFSS Survey
US Source: CDC BRFSS Survey

* Adult who report having ≥ 5 drinks(men) or ≥ 4 drinks(women) on ≥ 1 occasion during past 30 days

** Female respondents aged 18–44 years who report having ≥ 4 drinks on ≥ 1 occasion during the past 30 days

† Female respondents aged ≥ 18 years who report an average daily alcohol consumption of >1 drink

†† Male respondents aged ≥ 18 years who report an average daily alcohol consumption of >2 drinks.

Tobacco and Alcohol

Alcohol Use Among Youth*	2017	2016	2015	2014	2013	2012	2011
Douglas County	N/A	23.2%	N/A	27.4%	N/A	24.0%	N/A
Nebraska	N/A	24.4%	N/A	22.7%	N/A	22.1%	N/A
US	N/A	29.8%	N/A	32.8%	N/A	34.9%	N/A

DC Source: Douglas County YRBSS Survey
 NE Source: CDC YRBSS Survey
 US Source: CDC YRBSS Survey

Binge Drinking Among Youth**	2017	2016	2015	2014	2013	2012	2011
Douglas County	N/A	11.7%	N/A	17.2%	N/A	15.1%	N/A
Nebraska	N/A	10.5%	N/A	14.3%	N/A	13.6%	N/A
US	N/A	13.5%	N/A	17.7%	N/A	20.8%	N/A

DC Source: Douglas County YRBSS Survey
 NE Source: CDC YRBSS Survey
 US Source: CDC YRBSS Survey

Chronic Liver Disease - Death Age Adjusted Rate (ICD10: K70, K73-K74)	2017	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007
Douglas County	12.7	10.2	7.7	9.0	10.0	12.6	7.8	7.9	7.5	7.3	6.3
Nebraska	N/A	9.3	7.8	7.9	8.9	8.5	6.4	8.1	6.7	7.0	6.2
US	N/A	10.7	10.9	10.4	10.1	9.9	9.7	9.4	9.1	9.1	9.1

Rate is per 100,000 population

DC Source: DCHD Vital Statistics
 NE Source: CDC Wonder Compressed Mortality Data
 US Source: CDC Wonder Compressed Mortality Data

* Students in grades 9-12 who report consumption of ≥ 1 Drink of alcohol during past 30 days

** Students in Grades 9-12 who report having ≥ 5 drinks of alcohol within a couple hours on ≥ 1 day during the past 30 days

Youth: Students in grades 9-12

Tobacco and Alcohol

Cigarette Smoking Among Adults*	2017	2016	2015	2014	2013	2012	2011
Douglas County	16.6%	18.5%	19.9%	16.4%	19.3%	20.6%	20.6%
Nebraska	15.4%	17.0%	17.1%	17.3%	18.5%	19.7%	20.0%
US	17.1%	17.1%	17.5%	18.1%	19.0%	19.6%	21.2%

DC Source: DCHD BRFSS Survey
NE Source: CDC BRFSS Survey
US Source: CDC BRFSS Survey

Cigarette Smoking Among Youth**	2017	2016	2015	2014	2013	2012	2011
Douglas County	N/A	7.5%	N/A	13.1%	N/A	11.0%	N/A
Nebraska	N/A	7.4%	N/A	13.3%	N/A	10.9%	N/A
US	N/A	8.8%	N/A	10.8%	N/A	15.7%	N/A

DC Source: Douglas County YRBSS Survey
NE Source: CDC YRBSS Survey
US Source: CDC YRBSS Survey

Smokeless Tobacco Use Among Youth***	2017	2016	2015	2014	2013	2012	2011
Douglas County	N/A	3.6%	N/A	7.1%	N/A	4.0%	N/A
Nebraska	N/A	5.3%	N/A	9.3%	N/A	7.7%	N/A
US	N/A	5.5%	N/A	7.3%	N/A	8.8%	N/A

DC Source: Douglas County YRBSS Survey
NE Source: CDC YRBSS Survey
US Source: CDC YRBSS Survey

*Adult who report having smoked ≥ 100 cigarettes in their lifetime and are current smokers on every day or some days.

**Students in grades 9–12 who report having smoked a cigarette on ≥ 1 day during the past 30 days

***Students in grades 9–12 who report having used smokeless tobacco products on ≥ 1 days during the past 30 days

Adult: Age ≥ 18 years

Youth: Students in grades 9–12

Cancer

Age-Adjusted Invasive Cancer Incidence Rate (ICD10: C00-C97)	2017	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007
Rate is per 100,000 population											
Douglas County	N/A	N/A	479.5	481.0	473.8	459.3	480.9	468.1	482.6	486.5	499.9
Nebraska	N/A	N/A	456.5	444.9	445.1	433.1	442.9	443.1	445.1	471.7	491.5
US	N/A	N/A	436.6	439.0	439.0	440.3	444.5	444.8	457.6	472.6	479.7
DC Source: NE DHHS Cancer Registry											
NE Source: NE DHHS Cancer Registry											
US Source: CDC's National Program of Cancer Registries (NPCR).											

Age-Adjusted Death Rate Due to Cancer (ICD 10: C00-C97)	2017	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007
Rate is per 100,000 population											
Douglas County	159.9	150.4	172.2	162.4	174.2	180.0	180.8	178.9	174.2	182.9	186.3
Nebraska	N/A	153.6	157.9	159.7	161.5	164.7	164.6	167.4	165.1	169.7	176.6
US	N/A	155.8	158.5	161.2	163.2	166.5	169.0	172.8	173.5	176.4	179.3
DC Source: DCHD Vital Statistics											
NE Source: CDC Wonder Compressed Mortality Data											
US Source: CDC Wonder Compressed Mortality Data											

Age-Adjusted Cancer of the Bladder-Incidence Rate (ICD10: C67)	2011-2015	2010-2014	2009-2013	2008-2012	2007-2011	
Rate is per 100,000 population						
Douglas County	23.1	23.7	23.7	22.3	22.3	
Nebraska	20.9	20.9	20.9	19.8	20.0	
US	N/A	20.5	20.7	20.8	N/A	
DC Source: NE DHHS Cancer Registry						
NE Source: NE DHHS Cancer Registry						
US Source: CDC's National Program of Cancer Registries (NPCR).						

Adult: Age >= 18 years

Cancer

Age-Adjusted Death Rate Due to Cancer of the Bladder (ICD10: C67)	2017	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007
Rate is per 100,000 population											
Douglas County	4.6	4.3	4.6	4.4	4.7	5.3	3.7	4.6	6.1	4.3	5.4
Nebraska	N/A	4.2	4.0	3.8	3.8	4.1	4.5	4.4	3.5	4.0	4.2
US	N/A	4.4	4.4	4.3	4.4	4.4	4.4	4.5	4.4	4.4	4.4

DC Source: DCHD Vital Statistics
 NE Source: CDC Wonder Compressed Mortality Data
 US Source: CDC Wonder Compressed Mortality Data

Age-Adjusted Cancer of the Female Breast-Incidence Rate (ICD10: C50)	2011-2015	2010-2014	2009-2013	2008-2012	2007-2011	
Rate is per 100,000 female population						
Douglas County	132.9	132.9	131.5	133.8	132.6	
Nebraska	124.1	122.4	120.8	122.7	121.8	
US	N/A	123.5	123.4	123.0	N/A	

DC Source: NE DHHS Cancer Registry
 NE Source: NE DHHS Cancer Registry
 US Source: CDC's National Program of Cancer Registries (NPCR).

Age-Adjusted Death Rate Due to Female Breast Cancer (ICD10: C50)	2017	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007
Rate is per 100,000 female population											
Douglas County	18.6	19.5	21.4	19.7	21.6	21.4	21.2	24.0	20.8	20.5	20.8
Nebraska	N/A	20.1	18.9	21.6	21.0	21.2	18.3	19.3	19.5	20.8	21.6
US	N/A	20.1	20.3	20.6	20.8	21.4	21.7	22.1	22.3	22.6	23.0

DC Source: DCHD Vital Statistics
 NE Source: CDC Wonder Compressed Mortality Data
 US Source: CDC Wonder Compressed Mortality Data

Adult: Age >= 18 years

Cancer

Age-Adjusted Cancer of the Cervix-Incidence Rate (ICD10: C53)	2011-2015	2010-2014	2009-2013	2008-2012	2007-2011	
Rate is per 100,000 female population						
Douglas County	N/A	N/A	N/A	N/A	N/A	
Nebraska	2.1	7.3	7.2	6.9	7.2	
US	N/A	2.3	7.6	7.7	N/A	
DC Source: NE DHHS Cancer Registry						
NE Source: NE DHHS Cancer Registry						
US Source: CDC's National Program of Cancer Registries (NPCR).						

Age-Adjusted Death Rate Due to Cancer of Cervix (ICD10: C53)	2017	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007
Rate is per 100,000 female population											
Douglas County	3.2	0.7	2.2	3.6	2.1	1.8	1.0	2.8	2.2	2.1	1.6
Nebraska	N/A	1.7	2.2	2.3	2.4	1.8	2.1	2.6	1.3	2.0	1.5
US	N/A	2.2	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.4	2.4
DC Source: DCHD Vital Statistics											
NE Source: CDC Wonder Compressed Mortality Data											
US Source: CDC Wonder Compressed Mortality Data											

Age-Adjusted Cancer of the Colon and Rectum-Incidence Rate (ICD10: C18-C21)	2011-2015	2010-2014	2009-2013	2008-2012	2007-2011	
Rate is per 100,000 population						
Douglas County	41.9	42.2	44.7	46.7	47.8	
Nebraska	43.0	43.7	44.4	46.1	48.4	
US	N/A	39.8	40.6	41.9	N/A	
DC Source: NE DHHS Cancer Registry						
NE Source: NE DHHS Cancer Registry						
US Source: CDC's National Program of Cancer Registries (NPCR).						

Adult: Age >= 18 years

Cancer

Age-Adjusted Death Rate Due to Colorectal Cancer (ICD10: C18-C21)	2017	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007
Rate is per 100,000 population											
Douglas County	13.2	12.0	14.7	15.3	13.6	17.0	17.6	12.6	15.1	19.3	18.3
Nebraska	N/A	14.2	15.3	16.2	15.3	16.0	16.9	17.3	16.4	18.3	18.3
US	N/A	13.9	14.2	14.3	14.6	14.9	15.3	15.8	16.0	16.6	17.0

DC Source: DCHD Vital Statistics
NE Source: CDC Wonder Compressed Mortality Data
US Source: CDC Wonder Compressed Mortality Data

Age-Adjusted Cancer of the Lung and Bronchus- Incidence Rate (ICD10: C34)	2011-2015	2010-2014	2009-2013	2008-2012	2007-2011	
Rate is per 100,000 population						
Douglas County	67.7	69.3	70.5	69.6	72.1	
Nebraska	59.0	59.6	59.6	58.9	60.0	
US	N/A	61.2	62.5	63.7	N/A	

DC Source: NE DHHS Cancer Registry
NE Source: NE DHHS Cancer Registry
US Source: CDC's National Program of Cancer Registries (NPCR).

Age-Adjusted Death Rate Due to Lung Cancer (ICD10: C34)	2017	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007
Rate is per 100,000 population											
Douglas County	36.8	37.5	45.6	42.3	49.7	50.3	50.0	53.9	47.3	52.1	56.2
Nebraska	N/A	37.5	41.1	41.2	42.9	43.1	42.2	46.1	44.2	44.9	48.3
US	N/A	38.3	40.5	42.1	43.4	44.9	46.0	47.6	48.3	49.5	50.6

DC Source: DCHD Vital Statistics
NE Source: CDC Wonder Compressed Mortality Data
US Source: CDC Wonder Compressed Mortality Data

Adult: Age >= 18 years

Cancer

Age-Adjusted Cancer of the Melanoma-Incidence Rate (ICD10: C43)	2011-2015	2010-2014	2009-2013	2008-2012	2007-2011	
Rate is per 100,000 population						
Douglas County	25.2	22.5	21.6	19.0	19.1	
Nebraska	22.1	20.6	19.7	18.4	18.3	
US	N/A	20.7	20.3	19.9	N/A	
DC Source: NE DHHS Cancer Registry						
NE Source: NE DHHS Cancer Registry						
US Source: CDC's National Program of Cancer Registries (NPCR).						

Age-Adjusted Death Rate Due to Melanoma (ICD10: C43)	2017	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007
Rate is per 100,000 population											
Douglas County	2.0	1.4	2.0	2.1	4.1	4.0	3.2	2.1	1.9	2.9	1.6
Nebraska	N/A	2.0	2.9	2.5	3.4	3.3	2.7	2.6	3.2	3.9	2.0
US	N/A	2.2	2.4	2.6	2.7	2.7	2.7	2.8	2.8	2.7	2.7
DC Source: DCHD Vital Statistics											
NE Source: CDC Wonder Compressed Mortality Data											
US Source: CDC Wonder Compressed Mortality Data											

Age-Adjusted Cancer of the Oral Cavity or Pharynx-Incidence Rate (ICD10: C00-C14)	2011-2015	2010-2014	2009-2013	2008-2012	2007-2011	
Rate is per 100,000 population						
Douglas County	N/A	N/A	N/A	N/A	N/A	
Nebraska	11.6	11.5	11.2	11.0	11.3	
US	N/A	11.5	11.4	11.3	N/A	
DC Source: NE DHHS Cancer Registry						
NE Source: NE DHHS Cancer Registry						
US Source: CDC's National Program of Cancer Registries (NPCR).						

Adult: Age >= 18 years

Cancer

Age-Adjusted Death Rate Due to Cancer of the Oral Cavity or Pharynx (ICD10: C00-C14)	2017	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007
Rate is per 100,000 population											
Douglas County	2.7	2.5	3.8	4.0	1.7	3.2	3.1	3.9	3.3	2.6	1.8
Nebraska	N/A	2.5	2.7	2.3	1.3	2.2	3.0	2.8	2.4	2.1	1.8
US	N/A	2.6	2.5	2.5	2.4	2.5	2.5	2.5	2.4	2.5	2.5
DC Source: DCHD Vital Statistics											
NE Source: CDC Wonder Compressed Mortality Data											
US Source: CDC Wonder Compressed Mortality Data											

Age-Adjusted Cancer of the Prostate-Incidence Rate (ICD10: C61)	2011-2015	2010-2014	2009-2013	2008-2012	2007-2011	
Rate is per 100,000 male population						
Douglas County	121.2	123.2	127.7	127.2	139.4	
Nebraska	114.4	119.7	123.6	125.7	136.6	
US	N/A	114.8	123.2	131.9	N/A	
DC Source: NE DHHS Cancer Registry						
NE Source: NE DHHS Cancer Registry						
US Source: CDC's National Program of Cancer Registries (NPCR).						

Age-Adjusted Death Rate Due to Prostate Cancer (ICD10: C61)	2017	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007
Rate is per 100,000 male population											
Douglas County	22.8	19.7	21.7	22.5	16.6	23.2	26.1	20.2	19.0	33.4	22.1
Nebraska	N/A	15.3	17.3	19.1	21.7	21.5	22.0	20.0	23.2	23.6	24.9
US	N/A	19.3	18.8	19.0	19.2	19.5	20.7	21.9	22.1	23.0	24.2
DC Source: DCHD Vital Statistics											
NE Source: CDC Wonder Compressed Mortality Data											
US Source: CDC Wonder Compressed Mortality Data											

Adult: Age >= 18 years

Cancer

Clinical Breast Examination Among Women >=40 Years within Last 2 Years	2017	2016	2015	2014	2013	2012	2011
Douglas County	N/A	N/A	N/A	79.7%	N/A	75.5%	N/A
Nebraska	N/A	N/A	N/A	N/A	N/A	N/A	N/A
US	N/A	N/A	N/A	N/A	N/A	N/A	N/A

DC Source: DCHD BRFSS Survey
NE Source: CDC BRFSS Survey
US Source: CDC BRFSS Survey

Mammography Use Among Women Aged >=40 Years Within Last 2 Years	2017	2016	2015	2014	2013	2012	2011
Douglas County	N/A	67.2%	N/A	75.9%	N/A	73.3%	N/A
Nebraska	N/A	67.2%	N/A	70.5%	N/A	70.0%	N/A
US	N/A	72.5%	N/A	73.0%	N/A	74.0%	N/A

DC Source: DCHD BRFSS Survey
NE Source: CDC BRFSS Survey
US Source: CDC BRFSS Survey

Papanicolaou Smear Use Among Adult Women Within 3 Years	2017	2016	2015	2014	2013	2012	2011
Douglas County	N/A	69.0%	N/A	78.9%	N/A	80.3%	N/A
Nebraska	N/A	N/A	N/A	74.3%	N/A	76.6%	N/A
US	N/A	N/A	N/A	75.2%	N/A	78.0%	N/A

DC Source: DCHD BRFSS Survey
NE Source: CDC BRFSS Survey
US Source: CDC BRFSS Survey

Adult: Age >= 18 years

Cancer

Fecal Occult Blood Test Among Adults Aged >=50 Years Within Past 2 Years	2017	2016	2015	2014	2013	2012	2011
Douglas County	10.5%	10.8%	11.6%	13.6%	12.8%	10.7%	13.2%
Nebraska	N/A	N/A	N/A	12.7%	N/A	12.6%	N/A
US	N/A	N/A	N/A	12.8%	N/A	14.2%	N/A

DC Source: DCHD BRFSS Survey
NE Source: CDC BRFSS Survey
US Source: CDC BRFSS Survey

Fecal occult blood test, sigmoidoscopy, or colonoscopy among adults aged 50-75 years	2017	2016	2015	2014	2013	2012	2011
Douglas County	71.8%	69.0%	68.1%	70.1%	64.5%	64.2%	67.5%
Nebraska	68.3%	66.0%	65.2%	64.1%	62.8%	61.1%	N/A
US	N/A	67.7%	N/A	66.6%	N/A	N/A	N/A

DC Source: DCHD BRFSS Survey
NE Source: CDC BRFSS Survey
US Source: CDC BRFSS Survey

Adult Age >=50 who Report Ever Had Sigmoidoscopy/Colonoscopy	2017	2016	2015	2014	2013	2012	2011
Douglas County	74.1%	71.6%	70.6%	74.2%	67.1%	68.2%	68.5%
Nebraska	N/A	N/A	N/A	67.6%	N/A	64.5%	N/A
US	N/A	N/A	N/A	69.3%	N/A	67.3%	N/A

DC Source: DCHD BRFSS Survey
NE Source: CDC BRFSS Survey
US Source: CDC BRFSS Survey

Adult: Age >= 18 years

Cardiovascular Disease

Age-Adjusted Death Rate Due to Cerebrovascular Disease (Stroke) (ICD10: I60-I69)	2017	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007
Rate is per 100,000 population											
Douglas County	32.5	35.9	34.3	35.4	41.2	36.6	41.9	43.6	43.3	43.4	41.3
Nebraska	N/A	33.2	33.4	34.8	36.5	34.8	37.1	40.5	40.1	41.0	43.8
US	N/A	37.3	37.6	36.5	36.2	36.9	37.9	39.1	39.6	42.1	43.5
DC Source: DCHD Vital Statistics											
NE Source: CDC Wonder Compressed Mortality Data											
US Source: CDC Wonder Compressed Mortality Data											

Age-Adjusted Death Rate Due to Congestive Heart Failure (ICD 10: I50)	2017	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007
Rate is per 100,000 population											
Douglas County	13.0	13.2	20.3	21.8	19.8	22.0	20.7	20.5	17.2	20.1	20.5
Nebraska	N/A	20.4	22.7	21.3	20.4	21.0	19.5	20.4	19.3	23.4	21.4
US	N/A	20.3	19.9	18.5	18.0	17.1	16.9	17.3	17.2	17.7	18.0
DC Source: DCHD Vital Statistics											
NE Source: CDC Wonder Compressed Mortality Data											
US Source: CDC Wonder Compressed Mortality Data											

Age-Adjusted Death Rate Due to Coronary Heart Disease (ICD10: I11, I20-I25)	2017	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007
Rate is per 100,000 population											
Douglas County	71.5	67.7	79.4	79.8	84.4	76.4	77.2	81.1	79.8	82.9	95.4
Nebraska	N/A	78.9	85.9	77.7	82.9	80.8	84.6	89.7	90.7	94.3	100.4
US	N/A	105.8	108.3	109.4	112.9	115.4	118.9	123.6	127.7	136.1	139.0
DC Source: DCHD Vital Statistics											
NE Source: CDC Wonder Compressed Mortality Data											
US Source: CDC Wonder Compressed Mortality Data											

Adult: Age >= 18 years

Cardiovascular Disease

Age-Adjusted Death Rate Due to Heart Disease (ICD 10: I00-I09, I11, I13, I20-I51)	2017	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007
Rate is per 100,000 population											
Douglas County	131.2	122.6	148.2	143.4	150.3	147.0	146.9	156.7	143.8	154.1	170.2
Nebraska	N/A	140.3	154.6	143.2	148.4	147.1	147.7	154.2	153.2	163.2	168.1
US	N/A	165.5	168.5	167.0	169.8	170.5	173.7	179.1	182.8	192.1	196.1
DC Source: DCHD Vital Statistics											
NE Source: CDC Wonder Compressed Death Data											
US Source: CDC Wonder Compressed Death Data											

Age-Adjusted Death Rate Due to Major Cardiovascular Disease (ICD 10: I00-I78)	2017	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007
Rate is per 100,000 population											
Douglas County	183.3	180.1	201.3	197.3	208.7	202.2	205.6	216.1	202.2	214.6	232.0
Nebraska	N/A	192.4	206.7	196.8	201.2	200.1	202.4	211.5	209.7	222.8	231.5
US	N/A	218.2	221.5	218.6	221.6	223.0	227.3	234.2	238.5	250.9	256.9
DC Source: DCHD Vital Statistics											
NE Source: CDC Wonder Compressed Mortality Data											
US Source: CDC Wonder Compressed Mortality Data											

Hospitalization Rate for Cerebrovascular Accident or Stroke Among Medicare-Eligible Persons Aged >=65 Years (ICD-9-CM 430-434, 436-438)	2017	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007
Rate is per 1,000 population											
Douglas County	11.9	11.7	10.9	9.8	10.9	10.7	10.5	11.1	11.5	11.8	11.7
Nebraska	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
US	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
DC Source: DCHD Hospital Discharge Data											
NE Source: Center for Medicare and Medicaid Services											
US Source: Center for Medicare and Medicaid Services											

Adult: Age >= 18 years

Cardiovascular Disease

Hospitalization Rate for Congestive Heart Failure Among Medicare-Eligible Persons Aged >=65 Years (ICD-9-CM 428)	2017	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007
Rate is per 1,000 population											
Douglas County	2.3	9.5	10.7	10.8	11.1	11.84	14.7	14.9	15.5	16.3	16.9
Nebraska	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12.3	N/A	N/A	N/A
US	N/A	N/A	N/A	N/A	N/A	N/A	N/A	18.5	N/A	N/A	N/A

DC Source: DCHD Hospital Discharge Data
 NE Source: Center for Medicare and Medicaid Services
 US Source: Center for Medicare and Medicaid Services

High Blood Pressure Awareness Among Adults	2017	2016	2015	2014	2013	2012	2011
Douglas County	30.2%	N/A	28.5%	N/A	28.9%	N/A	27.3%
Nebraska	30.6%	N/A	29.9%	N/A	30.3%	N/A	28.6%
US	32.3%	N/A	30.9%	N/A	31.4%	N/A	30.8%

DC Source: DCHD BRFS Survey
 NE Source: CDC BRFS Survey
 US Source: CDC BRFS Survey

Taking Medicine for High Blood Pressure Control Among Adults	2017	2016	2015	2014	2013	2012	2011
Douglas County	78.7%	N/A	76.7%	N/A	76.6%	N/A	76.6%
Nebraska	78.6%	N/A	78.5%	N/A	78.5%	N/A	77.9%
US	N/A	N/A	N/A	N/A	N/A	N/A	N/A

DC Source: DCHD BRFS Survey
 NE Source: CDC BRFS Survey
 US Source: CDC BRFS Survey

Adult: Age >= 18 years

Cardiovascular Disease

Cholesterol Screening Among Adults [#] (Within Previous 5 Years)	2017	2016	2015	2014	2013	2012	2011
Douglas County	84.8%	N/A	73.6%	N/A	74.1%	N/A	73.2%
Nebraska	84.4%	N/A	75.1%	N/A	74.0%	N/A	71.8%
US	85.9%	N/A	77.7%	N/A	76.4%	N/A	75.5%

DC Source: DCHD BRFS Survey
 NE Source: CDC BRFS Survey
 US Source: CDC BRFS Survey

Adult: Age >= 18 years

2017 data are not comparable to earlier years due to changes in question wording on the 2017 survey

Diabetes

Age-Adjusted Death Rate Due to Diabetes (ICD10: E10-E14)	2017	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007
Rate is per 100,000 population											
Douglas County	32.5	20.2	24.2	24.0	24.0	22.1	22.6	21.3	22.1	26.5	26.2
Nebraska	N/A	21.9	24.8	21.5	21.8	20.7	21.8	21.7	20.7	23.2	23.4
US	N/A	21.0	21.3	21.0	21.2	21.2	21.7	20.8	20.9	22.0	22.8

DC Source: DCHD Vital Statistics
NE Source: CDC Wonder Compressed Mortality Data
US Source: CDC Wonder Compressed Mortality Data

Diabetes Prevalence Among Adults	2017	2016	2015	2014	2013	2012	2011
Douglas County	10.2%	7.8%	8.2%	9.1%	9.2%	8.1%	8.4%
Nebraska	10.1%	8.8%	8.8%	9.2%	9.2%	8.1%	8.4%
US	10.5%	10.5%	9.9%	10.0%	9.7%	9.7%	9.5%

DC Source: DCHD BRFSS Survey
NE Source: CDC BRFSS Survey
US Source: CDC BRFSS Survey

Dilated Eye Examination Among Adults with Diabetes Within the Previous Year	2017	2016	2015	2014	2013	2012	2011
Douglas County	66.9%	N/A	71.1%	71.7%	67.0%	66.8%	67.7%
Nebraska	N/A	N/A	68.3%	65.7%	65.2%	64.4%	68.4%
US	N/A	N/A	70.2%	65.8%	67.8%	68.1%	69.0%

DC Source: DCHD BRFSS
NE Source: CDC Diabetes Public Health Resource
US Source: CDC Diabetes Public Health Resource

Adult: Age >= 18 years

Diabetes

Foot Examination Among Adults with Diabetes Whithin the Previous Year	2017	2016	2015	2014	2013	2012	2011
Douglas County	72.3%	N/A	86.1%	86.3%	74.8%	83.0%	75.0%
Nebraska	N/A	N/A	73.8%	79.3%	71.5%	73.3%	71.6%
US	N/A	N/A	75.8%	72.9%	74.0%	72.9%	74.1%

DC Source: DCHD BRFS
NE Source: CDC Diabetes Public Health Resource
US Source: CDC Diabetes Public Health Resource

Influenza Vaccination Among Adults with Diabetes	2017	2016	2015	2014	2013	2012	2011
Douglas County	61.9%	72.6%	63.1%	62.2%	60.8%	64.7%	56.0%
Nebraska	N/A	N/A	N/A	N/A	N/A	N/A	N/A
US	N/A	N/A	N/A	N/A	N/A	N/A	N/A

DC Source: DCHD BRFS
NE Source: CDC Diabetes Public Health Resource
US Source: CDC Diabetes Public Health Resource

Pneumococcal Vaccination Among Adults with Diabetes	2017	2016	2015	2014	2013	2012	2011
Douglas County	68.4%	66.6%	62.6%	66.9%	57.5%	66.1%	62.7%
Nebraska	N/A	N/A	N/A	N/A	N/A	N/A	N/A
US	N/A	N/A	N/A	N/A	N/A	N/A	N/A

DC Source: DCHD BRFS
NE Source: CDC Diabetes Public Health Resource
US Source: CDC Diabetes Public Health Resource

Adult: Age >= 18 years

Diabetes

Self Blood Glucose Monitoring Among Adults with Diabetes Daily	2017	2016	2015	2014	2013	2012	2011
Douglas County	60.6%	N/A	64.3%	66.5%	60.2%	62.7%	62.1%
Nebraska	N/A	N/A	N/A	N/A	N/A	N/A	N/A
US	N/A	N/A	N/A	N/A	N/A	N/A	N/A

DC Source: DCHD BRFS

NE Source: CDC Diabetes Public Health Resource

US Source: CDC Diabetes Public Health Resource

Adult: Age >= 18 years

Arthritis

Arthritis Among Adults	2017	2016	2015	2014	2013	2012	2011
Douglas County	22.3%	23.3%	21.3%	21.9%	22.5%	22.6%	20.8%
Nebraska	24.0%	24.6%	23.4%	24.6%	24.7%	24.6%	23.4%
US	24.9%	25.8%	25.3%	26.0%	25.3%	25.7%	24.4%

DC Source: DCHD BRFSS Survey
 NE Source: CDC BRFSS Survey
 US Source: CDC BRFSS Survey

Activity Limitation Due to Arthritis Among Adults with arthritis	2017	2016	2015	2014	2013	2012	2011
Douglas County	46.9%	N/A	44.8%	N/A	44.1%	N/A	47.0%
Nebraska	46.2%	N/A	44.0%	N/A	42.4%	N/A	45.2%
US	N/A	N/A	49.0%	N/A	48.4%	N/A	50.7%

DC Source: DCHD BRFSS
 NE Source: CDC BRFSS Survey
 US Source: CDC BRFSS Survey

Physical Inactivity Among Adults with Arthritis	2017	2016	2015	2014	2013	2012	2011
Douglas County	27.3%	31.6%	32.4%	26.5%	33.0%	27.4%	34.2%
Nebraska	N/A	31.2%	32.4%	29.3%	32.6%	29.8%	33.9%
US	N/A	32.9%	34.5%	31.6%	33.5%	32.4%	33.6%

DC Source: DCHD BRFSS
 NE Source: CDC BRFSS Survey
 US Source: CDC BRFSS Survey

Adult: Age >= 18 years

Arthritis

Arthritis Among Adults Who Are Obese	2017	2016	2015	2014	2013	2012	2011
Douglas County	28.7%	30.8%	29.0%	32.3%	32.9%	34.0%	31.5%
Nebraska	N/A	33.0%	32.4%	33.0%	33.9%	34.2%	32.5%
US	N/A	35.2%	34.8%	35.7%	34.7%	35.3%	34.6%

DC Source: DCHD BRFSS
NE Source: CDC BRFSS Survey
US Source: CDC BRFSS Survey

Arthritis Among Adults Who Have Diabetes	2017	2016	2015	2014	2013	2012	2011
Douglas County	46.4%	57.5%	47.5%	44.8%	41.1%	44.2%	45.9%
Nebraska	N/A	53.0%	47.6%	48.8%	48.6%	47.5%	47.8%
US	N/A	52.9%	48.9%	51.9%	49.4%	51.1%	49.0%

DC Source: DCHD BRFSS
NE Source: CDC BRFSS Survey
US Source: CDC BRFSS Survey

Arthritis Among Adults Who Have Heart Disease	2017	2016	2015	2014	2013	2012	2011
Douglas County	58.1%	62.0%	47.3%	54.1%	54.1%	51.3%	50.0%
Nebraska	N/A	58.9%	51.3%	57.6%	53.4%	56.4%	55.0%
US	N/A	56.6%	57.1%	57.4%	55.4%	57.6%	54.5%

DC Source: DCHD BRFSS
NE Source: CDC BRFSS Survey
US Source: CDC BRFSS Survey

Adult: Age >= 18 years

Arthritis

Fair or Poor Health Among Adults With Arthritis	2017	2016	2015	2014	2013	2012	2011
Douglas County	28.8%	35.3%	30.2%	24.2%	31.4%	29.1%	29.1%
Nebraska	N/A	29.9%	28.4%	25.8%	28.6%	26.3%	28.2%
US	N/A	32.6%	31.6%	31.7%	32.0%	32.9%	33.3%

DC Source: DCHD BRFS
 NE Source: CDC BRFS Survey
 US Source: CDC BRFS Survey

Adults with Arthritis Who Have Taken a Class to Learn How to Manage Arthritis Symptoms	2017	2016	2015	2014	2013	2012	2011
Douglas County	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Nebraska	N/A	N/A	N/A	N/A	N/A	N/A	N/A
US	N/A	N/A	12.9%	N/A	11.4%	N/A	11.6%

DC Source: N/A
 NE Source: CDC BRFS Survey
 US Source: CDC BRFS Survey

Adult: Age >= 18 years

Overarching Conditions

Current Lack of Health Insurance Among Adults Aged 18-64 Years	2017	2016	2015	2014	2013	2012	2011
Douglas County	15.9%	17.7%	17.4%	16.0%	20.9%	18.5%	21.2%
Nebraska	14.4%	14.7%	14.4%	15.3%	17.6%	18.0%	19.1%
US	12.7%	12.3%	13.0%	15.3%	20.0%	20.4%	21.3%

DC Source: DCHD BRFSS Survey
NE Source: CDC BRFSS Survey
US Source: CDC BRFSS Survey

High School Completion Among Adults 18-24 Years	2017	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007
Douglas County	87.3%	89.4%	88.8%	88.1%	88.6%	85.4%	84.2%	84.0%	83.8%	86.2%	85.2%
Nebraska	89.9%	89.6%	88.3%	87.9%	87.4%	87.5%	87.4%	86.5%	86.0%	86.6%	87.3%
US	89.0%	86.9%	86.5%	84.1%	85.3%	85.2%	84.1%	83.2%	83.6%	83.0%	82.9%

DC Source: US Census Bureau-American Community Survey
NE Source: US Census Bureau-American Community Survey
US Source: US Census Bureau-American Community Survey

Poverty	2017	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007
Douglas County	13.5%	14.2%	14.6%	14.7%	14.3%	14.0%	13.3%	13.1%	12.7%	12.6%	12.0%
Nebraska	12.0%	12.4%	12.7%	12.9%	12.8%	12.4%	12.0%	11.8%	12.3%	10.8%	11.2%
US	14.6%	15.1%	15.5%	15.6%	15.4%	14.9%	14.3%	13.8%	14.5%	13.2%	13.0%

DC Source: US Census Bureau-American Community Survey (5-YR EST)
NE Source: US Census Bureau-American Community Survey (5-YR EST)
US Source: US Census Bureau-American Community Survey (5-YR EST)

Age-Adjusted Premature Death Rate Among Adults Aged 45-64 Years	2017	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007
Rate is per 100,000 population											
Douglas County	572.8	548.5	596.7	585.3	545.9	583.0	597.5	555.5	571.3	565.5	565.2
Nebraska	N/A	518.0	551.1	534.0	500.2	512.3	507.6	512.7	509.6	509.7	497.7
US	N/A	593.4	589.2	587.7	584.4	581.7	582.5	581.8	590.4	595.4	595.7

DC Source: DCHD Vital Statistics
NE Source: CDC Wonder Compressed Mortality Data
US Source: CDC Wonder Compressed Mortality Data

Adult: Age >= 18 years

Overarching Conditions

Fair or Poor Self-Rated Health Status Among Adults	2017	2016	2015	2014	2013	2012	2011
Douglas County	14.8%	15.2%	15.8%	12.9%	14.6%	16.2%	13.7%
Nebraska	14.9%	14.7%	13.9%	13.2%	13.9%	14.4%	14.3%
US	17.6%	16.4%	16.4%	16.8%	16.7%	16.9%	16.9%

DC Source: DCHD BRFSS Survey

NE Source: CDC BRFSS Survey

US Source: CDC BRFSS Survey

Physically Unhealthy Days Among Adults During the Past 30 Days	2017	2016	2015	2014	2013	2012	2011
Douglas County	3.3	3.5	3.0	2.9	3.1	3.4	3.0
Nebraska	3.3	3.1	3.0	3.1	3.2	3.2	N/A
US	N/A	3.8	3.8	3.8	3.9	3.9	3.9

DC Source: DCHD BRFSS Survey

NE Source: CDC BRFSS Survey

US Source: CDC BRFSS Survey

Mentally Unhealthy Days Among Adults During the Past 30 Days	2017	2016	2015	2014	2013	2012	2011
Douglas County	3.7	3.4	3.2	2.8	3.2	3.4	3.1
Nebraska	3.4	2.9	2.8	3.0	3.0	3.1	N/A
US	N/A	3.7	N/A	N/A	N/A	N/A	N/A

DC Source: DCHD BRFSS Survey

NE Source: CDC BRFSS Survey

US Source: CDC BRFSS Survey

Activity Limitation Days Among Adults During the Past 30 Days	2017	2016	2015	2014	2013	2012	2011
Douglas County	2.4	2.2	1.6	1.8	2.0	2.3	1.9
Nebraska	2.2	2.0	1.9	1.8	1.9	2.0	1.9
US	N/A	2.5	2.5	2.5	2.5	2.6	2.6

DC Source: DCHD BRFSS Survey

NE Source: CDC BRFSS Survey

US Source: CDC BRFSS Survey

Adult: Age >= 18 years

Other Diseases and Risk Factors

Age-Adjusted Death Rate Due to Asthma (ICD10: J45-J46)	2017	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007
Rate is per 100,000 population											
Douglas County	1.0	1.4	2.4	1.0	1.1	1.9	1.8	1.6	1.4	2.2	1.8
Nebraska	N/A	1.3	1.7	1.4	1.1	1.2	1.5	1.2	1.6	1.3	1.3
US	N/A	1.0	1.0	1.1	1.1	1.0	1.0	1.0	1.1	1.1	1.1

DC Source: DCHD Vital Statistics
NE Source: CDC Wonder Compressed Mortality Data
US Source: CDC Wonder Compressed Mortality Data

Age-Adjust Death Rate Due to Chronic Obstructive Pulmonary Disease Among Adults Aged >=45 Years (ICD 10: J40-J47)	2017	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007
Rate is per 100,000 population											
Douglas County	145.1	131.6	155.9	150.7	130.7	140.7	163.6	145.5	133.4	168.0	145.3
Nebraska	N/A	138.6	148.2	144.5	136.5	138.9	144.1	139.3	137.1	146.4	129.5
US	N/A	114.9	117.9	114.5	119.3	117.8	120.5	119.7	120.9	126.7	117.1

DC Source: DCHD Vital Statistics
NE Source: CDC Wonder Compressed Mortality Data
US Source: CDC Wonder Compressed Mortality Data

Adults Aged 65+ who Have Ever Had Pneumococcal Vaccination	2017	2016	2015	2014	2013	2012	2011
Douglas County	83.1%	79.3%	74.5%	76.7%	76.0%	72.6%	72.6%
Nebraska	78.9%	75.9%	73.8%	72.3%	71.7%	70.0%	70.3%
US	75.4%	73.4%	72.7%	70.3%	69.5%	68.8%	70.0%

DC Source: DCHD BRFSS Survey
NE Source: CDC BRFSS Survey
US Source: CDC BRFSS Survey

Adult: Age >= 18 years

Other Diseases and Risk Factors

All Teeth Lost Among Adults Aged >=65 Years	2017	2016	2015	2014	2013	2012	2011
Douglas County	N/A	14.6%	N/A	9.0%	N/A	12.2%	N/A
Nebraska	N/A	13.2%	N/A	14.1%	N/A	13.4%	N/A
US	N/A	14.2%	N/A	15.1%	N/A	16.1%	N/A

DC Source: DCHD BRFSS Survey
 NE Source: CDC BRFSS Survey
 US Source: CDC BRFSS Survey

Visits to Dentist or Dental Clinic Among Adults	2017	2016	2015	2014	2013	2012	2011
Douglas County	N/A	69.4%	N/A	68.7%	N/A	68.4%	N/A
Nebraska	N/A	68.7%	N/A	66.4%	N/A	67.6%	N/A
US	N/A	66.4%	N/A	65.3%	N/A	67.2%	N/A

DC Source: DCHD BRFSS Survey
 NE Source: CDC BRFSS Survey
 US Source: CDC BRFSS Survey

Hospitalization Rate for Hip Fracture Among Medicare-Eligible Persons Aged >=65 Years (ICD9: 820)	2017	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007
Douglas County	N/A	N/A	N/A	6.0	5.8	5.7	6.6	6.4	7.1	7.0	7.2
Nebraska	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7.9	N/A	N/A	N/A
US	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7.7	N/A	N/A	N/A

Rate is per 1,000 population

DC Source: DCHD Hospital Discharge Data
 NE Source: Center of Medicare and Medicaid Services (CMS)
 US Source: Center of Medicare and Medicaid Services (CMS)

Adult: Age >= 18 years